



52202-L

Electrically Heated Rain and Snow Gage



Measure Rain, Snow, and Other Frozen Precipitation

Thermostat-controlled gage

Overview

The 52202, manufactured by R. M. Young, is a thermostat-controlled, electrically heated, tipping bucket rain gage. You can use it to measure rain, snow, and other frozen precipitation. Its catchment area of 200 cm² and measurement

resolution of 0.1 mm meet the recommendations of the WMO. This heated rain gage is compatible with most Campbell Scientific data loggers, and it is used in environmental monitoring applications.

Benefits and Features

- › High precision—tips at 0.1-mm increments
- › Heating element melts snow and ice for year-round measurements
- › Compatible with many Campbell Scientific data loggers

Detailed Description

The 52202 funnels precipitation into a bucket mechanism that tips when filled to the calibrated level. Each tip is marked by a magnetic reed switch closure that is recorded by a Campbell Scientific data logger pulse count channel.

The 52202 has a thermostat-controlled internal heater that melts snow or other frozen precipitation. This heater requires a reliable source of 24 Vac power. A wall transformer is shipped with the 52202 that plugs into a wall socket to provide the required 24 Vac power.

Specifications

Sensor Type	Tipping bucket with magnetic reed switch (normally open)	Operating Temperature Range	-20° to +50°C (heated)
Measurement Uncertainty	› 2% for up to 25 mm/h (1 in./h) › 3% for up to 50 mm/h (2 in./h)	Humidity Range	0 to 100%
Rainfall per Tip	0.1 mm (0.004 in.)	Power	18 W @ 24 Vac (for heater only)



Heater Thermostat Set Point	10°C ±3°C
Contact Rating	24 Vac/dc (400 mA maximum)
Compliance with Standards	<ul style="list-style-type: none"> › 2011/65/EU RoHS Directive › 2015/863/EU RoHS Phthalates Amendment
Mounting Pipe	30.5 cm (12 in.) length; 1 inch IPS, aluminum, unthreaded

Catchment Area	200 cm ² (31 in. ²)
Orifice Diameter	16 cm (6.3 in.)
Diameter	18.5 cm (7.3 in.)
Height	30 cm (11.8 in.)
Power Plug Weight	0.43 kg (0.95 lb)
Weight	1.16 kg (2.55 lb)

For comprehensive details, visit: www.campbellsci.com/pn52202 



Campbell Scientific, Inc. | 815 W 1800 N | Logan, UT 84321-1784 | (435) 227-9120 | www.campbellsci.com
 AUSTRALIA | BRAZIL | CANADA | CHINA | COSTA RICA | FRANCE | GERMANY | INDIA | SOUTH AFRICA | SPAIN | THAILAND | UK | USA