App. Note Code: 3RF-D



Copyright © 2015 Campbell Scientific, Inc.

# Weatherproofing Exterior Antenna Connections

Wireless data-acquisition systems often include connections to cables, antennas, and surge protectors that are exposed to the natural environment. Following is an introduction to a technique designed to protect connections from water intrusion.

# What you will need:

• Roll of self-vulcanizing tape (cold shrink tape), 1 inch x 10 feet, Campbell Scientific pn 21212



- Scissors or tool for cutting the tape
- Cleaning supplies to clean the surge protector and connections
- Surge protection kit and antenna cables. An example kit is shown in the following figure. It is used in the following procedure.



### **Procedure:**

1. Inspect connection components. If connectors are contaminated with dust, oil, corrosion, etc, thoroughly clean the connections, being careful not to introduce any liquid into cable ends. Consider replacing connectors that have significant corrosion or cables that may have

become water or oil soaked. Corrosion and liquids will attenuate RF signals. Clean the body of the surge protector.

2. Connect the grounding wire to the case of the surge protector.



3. Complete the cable connections.



- 4. Wrap tape on individual connections.
  - Wrap tape in the direction of the threads. This tends to tighten the connection.
  - Apply tension while wrapping to make a good seal between tape and connectors and between tape layers.




5. Finish wrapping the connection.





7. Wrap both connections a second time, contiguous with the surge protector, from end to end. Extend the ground wire from the wrapping parallel to an antenna cable.



6. Wrap the second connection in like manner.

8. Secure the assembly, perhaps to the mast that supports the antenna. UV resistant cable ties are versatile fasteners. Point down the end from which the ground wire emerges to minimize the chance of moisture entry.



## **Campbell Scientific Companies**

Campbell Scientific, Inc. (CSI) 815 West 1800 North Logan, Utah 84321 UNITED STATES www.campbellsci.com • info@campbellsci.com

Campbell Scientific Africa Pty. Ltd. (CSAf) PO Box 2450 Somerset West 7129 SOUTH AFRICA www.csafrica.co.za • cleroux@csafrica.co.za

Campbell Scientific Australia Pty. Ltd. (CSA) PO Box 8108 Garbutt Post Shop QLD 4814 AUSTRALIA www.campbellsci.com.au • info@campbellsci.com.au

Campbell Scientific (Beijing) Co., Ltd. 8B16, Floor 8 Tower B, Hanwei Plaza 7 Guanghua Road Chaoyang, Beijing 100004 P.R. CHINA www.campbellsci.com • info@campbellsci.com.cn

### Campbell Scientific do Brasil Ltda. (CSB)

Rua Apinagés, nbr. 2018 — Perdizes CEP: 01258-00 — São Paulo — SP BRASIL www.campbellsci.com.br • vendas@campbellsci.com.br

Campbell Scientific Canada Corp. (CSC) 14532 – 131 Avenue NW Edmonton AB T5L 4X4 CANADA www.campbellsci.ca • dataloggers@campbellsci.ca Campbell Scientific Centro Caribe S.A. (CSCC) 300 N Cementerio, Edificio Breller Santo Domingo, Heredia 40305 COSTA RICA www.campbellsci.cc • info@campbellsci.cc

Campbell Scientific Ltd. (CSL)

Campbell Park 80 Hathern Road Shepshed, Loughborough LE12 9GX UNITED KINGDOM www.campbellsci.co.uk • sales@campbellsci.co.uk

### Campbell Scientific Ltd. (CSL France)

3 Avenue de la Division Leclerc 92160 ANTONY FRANCE www.campbellsci.fr • info@campbellsci.fr

Campbell Scientific Ltd. (CSL Germany) Fahrenheitstraße 13 28359 Bremen GERMANY www.campbellsci.de • info@campbellsci.de

### Campbell Scientific Spain, S. L. (CSL Spain)

Avda. Pompeu Fabra 7-9, local 1 08024 Barcelona SPAIN www.campbellsci.es • info@campbellsci.es

Please visit www.campbellsci.com to obtain contact information for your local US or international representative.